## SSI in veterinary medicine

SSIs (Surgical Site Infections), also known as post-operative wound infections, are a type of nosocomial (hospital-associated) infection.



## Approximately 0.2% – 8% of small animals (1-6) and 7.5% – 25% of horses (7–9, 13)

Rates



- Treatment costs increase by up to 50% - 74.4% (10, 11)
- Increased treatment numbers and durations (10, 11)
- Longer inpatient stays (10, 11)
- Increased use of antibiotics (11)



- Quantity and concentration of microorganisms
- Microorganism virulence
- Local wound conditions
- Immune status (ASA)
- Durations of anesthesia and surgery
- Surgery types and methods
  - Clean

**Factors** 

- Clean-Contaminated
- Contaminated
- Infected
- Temperature
- Perfusion, oxygen saturation, and glucose levels



Not all SSIs are

measures (12)

preventable, but they

through strict asepsis

and targeted prevention

can be minimized



Our many years of process consulting and product development experience help us offer solutions and support tailored specifically to veterinary medical needs. Extensive information on infection prevention in veterinary medicine is available at:

www.bbraun-vetcare.com/ inyourhands



## Sources

D-VE23009

- (1) Stetter J, Boge GS, Grönlund U, Bergström A. Risk factors for surgical site infection associated with clean surgical procedures in dogs. Res Vet Sci. 2021 May;136:616-621
- (2) Turk, R., Singh, A., Weese, J.S., 2015. Prospective surgical site infection surveillance in dogs. Vet. Surg. 44, 2-8.
- (3) Babcock, H.M., Carroll, C., Matava, M., L'Ecuyer, P., Fraser, V., 2003. Surgical site infections after arthroscopy: outbreak investigation and case control study. Arthroscopy 19, 172–181. Barie, P.S., Eachempati, S.R., 2005. Surgical site infections. Surg. Clin. N. Am. 85, 1115–1135.
- (4) Vasseur, P.B., Paul, H.A., Enos, L.R., Hirch, D.C., 1985. Infection rates in clean surgical procedures: a comparison of ampicillin prophylaxis vs a placebo. J. Am. Vet. Med. Assoc. 15, 825–827.
- (5) Adin, C.A., 2011. Complications of ovariohysterectomy and orchiectomy in companion animals. Vet. Clin. N. Am. Small Anim. Pract. 41, 1023–1039.
- (6) Eugster, S., Schawalder, P., Gaschen, F., Boerlin, P., 2004. A prospective study of postoperative surgical site infections in dogs and cats. Vet. Surg. 33, 542–550.
- (7) Isgren CM, Salem SE, Archer DC, Worsman FC, Townsend NB. Risk factors for surgical site infection following laparotomy: Effect of season and perioperative variables and reporting of bacterial isolates in 287 horses. Equine Vet J. 2017 Jan;49(1):39-44.
- (8) Curtiss AL, Stefanovski D, Richardson DW. Surgical site infection associated with equine orthopedic internal fixation: 155 cases (2008-2016). Vet Surg. 2019 Jul;48(5):685-693.
- (9) Huppes T, Hermans H, Ensink JM. A retrospective analysis of the risk factors for surgical site infections and long-term follow-up after transpalpebral enucleation in horses. BMC Vet Res. 2017 Jun 2;13(1):155
- (10) Espinel-Rupérez J, Martín-Rios MD, Salazar V, Baquero-Artigao MR, Ortiz-Diez G. Incidence of surgical site infection in dogs undergoing soft tissue surgery: risk factors and economic impact. Vet Rec Open. 2019 Oct

(11) Nicoll C, Singh A, Weese JS. Economic impact of tibial plateau leveling osteotomy surgical site infection in dogs. Vet Surg. 2014 Nov;43(8):899-902.
(12) Harbarth S, Sax H, Gastmeier P. The preventable proportion of nosocomial infections: an overview of published reports. J Hosp Infect 2003;54(4): 258–66.)
(13) Ruple-Czerniak AA, Aceto HW, Bender JB, Paradis MR, Shaw SP, van Metre DC et al. Syndromic surveillance for evaluating the occurrence of healthcare-as sociated infections in equine hospitals. Equine Vet J 2014; 46(4):435–40.

