# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 8/14/2017 Revision date: 12/16/2022 Supersedes: 5/18/2020 Version: 2.1 SDS No: 00056-0355

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form Product name UFI : Mixture : Helimatic Rinse neutral NF : EGFV-A7MK-300V-2T72

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Use of the substance/mixture

: Rinse aid

### 1.2.2. Uses advised against

No additional information available

# **1.3.** Details of the supplier of the safety data sheet

Manufacturer	Supplier	
B. Braun Medical AG	B. Braun Melsungen AG	
Seesatz 17	Carl-Braun-Straße 1	
CH-6204 Sempach	D-34212 Melsungen	
Switzerland	Germany	
T +41 (0) 58 / 258 50 00	T +49(0) 5661 / 71-4422	
info.bbmch@bbraun.com	logistics.service@bbraun.com	
E-mail address of competent person responsible for the SDS: sds@abk-ingelheim.de		

## 1.4. Emergency telephone number

Emergency number

: INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

B BRAUN

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3H226Serious eye damage/eye irritation, Category 1H318Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes serious eye damage.

### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

Signal word (CLP) Contains Hazard statements (CLP)

Precautionary statements (CLP)



- : Danger : Propan-1-ol
- Hoof Flowmohle li
- : H226 Flammable liquid and vapour. H318 - Causes serious eye damage.
- : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
  - P261 Avoid breathing vapours.

P280 - Wear protective gloves, eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00056-0355

P310 - Immediately call a POISON CENTER, a doctor. P501 - Dispose of contents and container to an approved waste disposal plant.

## 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances  $\geq$  0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

## Not applicable

# 3.2. Mixtures

Comments

: Mixture of the substances listed below with nonhazardous additives

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610- 43	< 20	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Alcohols C12-14, ethoxylated, propoxylated	CAS-No.: 68439-51-0 EC-No.: 614-484-1	< 15	Aquatic Chronic 3, H412
Propan-1-ol	CAS-No.: 71-23-8 EC-No.: 200-746-9 EC Index-No.: 603-003-00-0 REACH-no: 01-2119486761- 29	< 15	Flam. Liq. 2, H225 Eye Dam. 1, H318 STOT SE 3, H336
Propan-2-ol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	< 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
	CAS-No.: 64-17-5 EC-No.: 200-578-6 EC Index-No.: 603-002-00-5 REACH-no: 01-2119457610- 43	( 50 ≤C ≤ 100) Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00056-0355

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

First-aid measures general	: Data of item 4 do partly not refer to the use and the regular employing of the product (in this sense consult package leaflet and expert information), but to liberation of major amounts in case of accidents and irregularities. Take off immediately all contaminated clothing. If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash off immediately with soap and plenty of water. Call a doctor.
First-aid measures after eye contact	: Wash immediately with plenty water (during 20 minutes), also under eyelids. Call a physician immediately.
First-aid measures after ingestion	: Do not induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Call a physician immediately. Do not induce vomiting without medical advice.
4.2. Most important symptoms and effects, b	both acute and delayed

Symptoms/effects after skin contact	:	Dermatitis.
Symptoms/effects after eye contact	:	Serious damage to eyes.
Symptoms/effects after ingestion	:	Watch out. Beware, hazard of foam aspiration.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Alcohol resistant foam. Water spray. Dry powder. Carbon dioxide.</li><li>high volume water jet.</li></ul>	
5.2. Special hazards arising from the subs	tance or mixture	
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Flammable liquid and vapour.</li> <li>Product is not explosive. Explosive vapour/air mixtures may be formed.</li> <li>Carbon monoxide. Carbon dioxide.</li> </ul>	
5.3. Advice for firefighters		
Precautionary measures fire Firefighting instructions Protection during firefighting Other information	<ul> <li>Cool endangered containers with water spray jet. Stop leak if safe to do so.</li> <li>Fight fire with normal precautions from a reasonable distance.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> <li>Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.</li> </ul>	

6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Evacuate personnel to a safe area. Remove ignition sources.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Do not breathe vapours.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00056-0355

# 6.2. Environmental precautions

Do not allow to enter drains or water courses. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up		
For containment	: Dike and contain spill.	
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.	
Other information	: Dispose of materials or solid residues at an authorized site.	

# 6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8. For further information refer to section 13.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		
Technical measures Storage conditions Incompatible materials Information on mixed storage	<ul> <li>Ground/bond container and receiving equipment.</li> <li>Keep container tightly closed in a dry, cool and well-ventilated place.</li> <li>oxidizing materials. alkali metals. alkaline earth metals.</li> <li>Keep away from food, drink and animal feeding stuffs.</li> </ul>	

# 7.3. Specific end use(s)

See Section 1.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

## 8.1.1 National occupational exposure and biological limit values

No additional information available

# 8.1.2. Recommended monitoring procedures

Monitoring methods	
Monitoring methods	A specific exposure sampling method is not available.
Biological monitoring methods	A specific exposure sampling method is not available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

Propan-1-ol (71-23-8)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	1723 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	136 mg/kg bodyweight/day

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00056-0355

Propan-1-ol (71-23-8)	
Long-term - systemic effects, inhalation	268 mg/m³
DNEL/DMEL (General population)	
Acute - local effects, inhalation	1036 mg/m <sup>3</sup>
Long-term - systemic effects,oral	61 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	80 mg/m³
Long-term - systemic effects, dermal	81 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	10 mg/l
PNEC aqua (marine water)	1 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	22.8 mg/kg dwt
PNEC sediment (marine water)	2.28 mg/kg dwt
PNEC (Soil)	·
PNEC soil	2.2 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	96 mg/l
Propan-2-ol (67-63-0)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	888 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	500 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	26 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	88 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	319 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	140.9 mg/l
PNEC aqua (marine water)	140.9 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	552 mg/kg dwt
PNEC sediment (marine water)	552 mg/kg dwt
PNEC (Soil)	
PNEC soil	28 mg/kg dwt
Ethanol (64-17-5)	
DNEL/DMEL (General population)	
Acute - local effects, inhalation	1900 mg/m <sup>3</sup>
Long-term - systemic effects,oral	343 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	950 mg/m³
Long-term - systemic effects, dermal	343 mg/kg bodyweight/day

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00056-0355

Ethanol (64-17-5)		
PNEC (Water)		
PNEC aqua (freshwater)	0.96 mg/l	
PNEC aqua (marine water)	0.79 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	3.6 mg/kg dwt	
PNEC sediment (marine water)	2.9 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.63 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	580 mg/l	

# 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

### Personal protective equipment:

Data of item 8 do partly not refer to the use and the regular employing of the product (in this sense consult package leaflet and expert information), but to liberation of major amounts in case of accidents and irregularities.

# 8.2.2.1. Eye and face protection

### Eye protection:

Eyewash bottle with clean water (EN 15154)

Eye protection			
Туре	Field of application	Characteristics	Standard
Protective goggles (EN 166)	Liquid splashes may occur		EN 166

### 8.2.2.2. Skin protection

### Skin and body protection:

Long sleeved protective clothing (DIN EN ISO 6530)

#### Hand protection:

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Butyl rubber	6 (> 480 minutes)	0,5		EN ISO 374
Chemically resistant protective gloves	Chloroprene rubber (CR)	2 (> 30 minutes)	0,5		EN ISO 374
Chemically resistant protective gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,35		EN ISO 374

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00056-0355

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Fluoro-rubber (Viton) - FKM	6 (> 480 minutes)	0,5		EN ISO 374

# 8.2.2.3. Respiratory protection

# **Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection			
Device	Filter type	Condition	Standard
Respiratory protective device with a gas filter	Туре А		EN 14387

# 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

### Environmental exposure controls:

# Avoid release to the environment.

### Other information:

Do not breathe vapours. Wash hands immediately after handling the product. Wash hands before breaks and at the end of workday. Do not eat, drink or smoke in areas where product is used. Avoid contact with eyes.

# 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Appearance	: Liquid.
Odour	: alcoholic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: ≈78 °C
Flammability (solid, gas)	: Not applicable
Explosive properties	: Product is not explosive. May form flammable/explosive vapour-air mixture.
Oxidising properties	: Not oxidising.
Explosive limits	: Not available
Lower explosive limit (LEL)	: 2 vol %
Upper explosive limit (UEL)	: Not available
Flash point	: 34 °C DIN 51755
Auto-ignition temperature	: > 400 °C
Decomposition temperature	: Not available
pH	: ≈ 6.5 Concentrate
Viscosity, kinematic	: Not available
Solubility	: Water: Miscible
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: ≈ 95 g/cm³
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00056-0355

## 9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

No additional information available

### 9.2.2. Other safety characteristics

VOC content	:	< 35 %
Solvent content	:	< 35 %

# SECTION 10: Stability and reactivity

### 10.1. Reactivity

No decomposition if stored normally.

# 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Reacts with: alkali metals. oxidizing materials. alkaline earth metals.

### 10.4. Conditions to avoid

Vapour/air-mixtures are explosive at intense warming. Heating can release vapours which can be ignited.

### 10.5. Incompatible materials

alkali metals. Oxidizing agent. alkaline earth metals.

### **10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Fire may produce: Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Propan-1-ol (71-23-8)	
LD50 oral rat	> 8000 mg/kg
LD50 dermal rabbit	4032 mg/kg
LC50 Inhalation - Rat	> 33 mg/l 4 h
Propan-2-ol (67-63-0)	
LD50 oral rat	5840 mg/kg
LD50 dermal rabbit	13900 mg/kg
LC50 Inhalation - Rat	> 25 mg/l 4 h
Ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg
LD50 oral	6200 mg/kg
LD50 dermal rabbit	15800 mg/kg

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00056-0355

Ethanol (64-17-5)		
LD50 dermal		20000 mg/kg
LC50 Inhalation - Rat (Vapours)		30 mg/l/4h
Alcohols C12-14, ethoxylated, propoxyla	ated (6	\$8439-51-0)
LD50 oral rat		> 2000 mg/kg (OECD 401 method)
LD50 dermal rat		> 5000 mg/kg
Skin corrosion/irritation		Not classified (Based on available data, the classification criteria are not met) pH: ≈ 6.5 Concentrate
Serious eye damage/irritation		Causes serious eye damage. pH: ≈ 6.5 Concentrate
Respiratory or skin sensitisation	:	Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	:	Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	:	Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	:	Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	:	Not classified (Based on available data, the classification criteria are not met)
Propan-1-ol (71-23-8)		
STOT-single exposure		May cause drowsiness or dizziness.
Propan-2-ol (67-63-0)		
STOT-single exposure		May cause drowsiness or dizziness.
STOT-repeated exposure		Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	:	Not classified (Based on available data, the classification criteria are not met)
11.2. Information on other hazards		
11.2.1. Endocrine disrupting properties		
Adverse health effects caused by endocrine disrupting properties		The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %
11.2.2. Other information		
Potential adverse human health effects and symptoms		High concentration of vapours may induce: headache, nausea, dizziness,At high concentrations, the vapours may cause narcosis,Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product

# **SECTION 12: Ecological information**

12.1. Toxicity	
Ecology - general :	No ecotoxicological data about this product are known.
Hazardous to the aquatic environment, short-term : (acute)	Not classified. (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term : (chronic)	Not classified (Based on available data, the classification criteria are not met)
Propan-1-ol (71-23-8)	
LC50 fish 1	4555 mg/l 96 h, Pimephales promelas

LC50 fish 1	4555 mg/l 96 h, Pimephales promelas
EC50 Daphnia 1	3644 ml/l 48 h,Daphnia magna
NOEC chronic crustacea	> 100 mg/l 21 d, Daphnia magna
NOEC chronic algae 1150 mg/l 2 d,Chlorella sp.	

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00056-0355

Propan-2-ol (67-63-0)				
LC50 fish 1	9640 mg/l Pimephales promelas, 96 h			
EC50 Daphnia 1	10000 mg/l Daphnia magna, 48 h			
EC50 72h - Algae [1] 1800 mg/l Desmodesmus subspicatus, 72 h				
Ethanol (64-17-5)				
LC50 fish 1	11200 mg/l 96 h			
EC50 Daphnia 1	5012 mg/l 48 h, Daphnia magna			
ErC50 algae 275 mg/l				
Alcohols C12-14, ethoxylated, propoxylated (68439-51-0)				
LC50 fish 1	1 – 10 mg/l 96 h, Leuciscus idus (golden orfe)			
EC50 Daphnia 1	1 – 10 mg/l 48 h, OECD 202, Daphnia magna (Water flea)			
ErC50 algae 1 – 10 mg/l Desmodesmus subspicatus(OECD 201)				

# 12.2. Persistence and degradability

Helimatic Rinse neutral NF					
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.				
Propan-1-ol (71-23-8)					
BOD (% of ThOD) 75 % ThOD 20 d					
Propan-2-ol (67-63-0)					
Persistence and degradability Readily biodegradable.					
Biodegradation 95 % 21 d, (OECD 301E method)					
Ethanol (64-17-5)					
Persistence and degradability Readily biodegradable.					
Alcohols C12-14, ethoxylated, propoxylated (68439-51-0)					
Persistence and degradability Readily biodegradable.					
Biodegradation     > 60 % 28 d, (OECD 301F method)					

# 12.3. Bioaccumulative potential

Propan-2-ol (67-63-0)			
Log Pow	0.05		
Ethanol (64-17-5)			
Bioconcentration factor (BCF REACH)	0.06		
Log Pow	-0.3		

# 12.4. Mobility in soil

No additional information available

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00056-0355

12.5. Results of PBT and vPvB assessment					
Helimatic Rinse neutral NF					
This substance/mixture does not meet the PBT c	riteria of REACH regulation, annex XIII				
This substance/mixture does not meet the vPvB of	criteria of REACH regulation, annex XIII				
12.6. Endocrine disrupting properties					
Adverse effects on the environment caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.				
12.7. Other adverse effects					
Additional information	: Prevent entry to sewers and public waters				
SECTION 13: Disposal consideration	S				
13.1. Waste treatment methods					
Waste treatment methods	: Can be incinerated according to local regulations. Recycling is preferred to disposal or incineration. Dispose of contents/container in accordance with licensed collector's sorting instructions.				
Product/Packaging disposal recommendations	<ul> <li>Empty containers should be taken for local recycling, recovery or waste disposal.</li> <li>Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed o like the product.</li> </ul>				

	like t	the product.
Additional information	Flam	mable vapours may accumulate in the container.
European List of Waste (LoW) code	07 0	6 04* - other organic solvents, washing liquids and mother liquors

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID					
14.1. UN number or ID number									
UN 1987	UN 1987 UN 1987 UN 1987 UN 1987								
14.2. UN proper shipping name									
ALCOHOLS, N.O.S. (Propan-1-ol ; Laurylpropylene diamine ; Ethanol ; Propan-1-ol)	ALCOHOLS, N.O.S. (Ethanol ; Propan-1-ol)								
Transport document description									
UN 1987 ALCOHOLS, N.O.S. (Propan-1-ol ; Laurylpropylene diamine ; Ethanol ; Propan-1-ol), 3, III, (D/E)	UN 1987 ALCOHOLS, N.O.S. (Ethanol ; Propan-1- ol), 3, III	. (Ethanol ; Propan-1- (Ethanol ; Propan-1-ol), 3, N.O.S. (Ethanol ; Propan-1-		UN 1987 ALCOHOLS, N.O.S. (Ethanol ; Propan-1- ol), 3, III					
14.3. Transport hazard class(es)									
3 3 3 3 3									

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00056-0355

ADR	IMDG	ΙΑΤΑ	ADN	RID						
14.4. Packing group										
III	III		III							
14.5. Environmental hazards										
Dangerous for the environment: NoDangerous for the environment: NoDangerous for the environment: NoDangerous for the environment: NoDangerous for the environment: NoMarine pollutant: NoMarine pollutant: NoDangerous for the environment: NoDangerous for the environment: NoDangerous for the environment: No										
No supplementary information	on available	1	1	1						

# 14.6. Special precautions for user

12/16/2022 (Bovision data)		Ell on
Limited quantities (ADN)	:	5 L
Special provisions (ADN)		274, 601
Classification code (ADN)		F1
Inland waterway transport		
ERG code (IATA)	:	3L
Special provisions (IATA)	:	A3, A180
CAO max net quantity (IATA)	:	220L
CAO packing instructions (IATA)	:	366
PCA max net quantity (IATA)	:	60L
PCA packing instructions (IATA)	:	355
PCA limited quantity max net quantity (IATA)	:	10L
PCA Limited quantities (IATA)	:	Y344
PCA Excepted quantities (IATA)	:	E1
Air transport		
Stowage category (IMDG)	:	A
	•	A
EmS-No. (Spillage)	-	S-D
EmS-No. (Fire)		F-E
Tank special provisions (IMDG)	:	TP1, TP29
Tank instructions (IMDG)		T4
IBC packing instructions (IMDG)		IBC03
Packing instructions (IMDG)		P001, LP01
Excepted quantities (IMDG)		E1
Limited quantities (IMDG)		5 L
Special provisions (IMDG)		223, 274
Transport by sea		
Tunnel restriction code (ADR)	:	D/E
		1987
Orange plates	:	30
Hazard identification number (Kemler No.)	:	30
Transport category (ADR)	:	3
Mixed packing provisions (ADR)	:	MP19
Packing instructions (ADR)		P001, IBC03, LP01, R001
Excepted quantities (ADR)		E1
Limited quantities (ADR)	-	51
Special provisions (ADR)	:	274, 601
Classification code (ADR)		F1
Overland transport		
Our selected from a set		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00056-0355

Excepted quantities (ADN) Carriage permitted (ADN) Equipment required (ADN) Ventilation (ADN) Number of blue cones/lights (ADN)	:	E1 T PP, EX, A VE01 0
Rail transport		
Classification code (RID)	:	F1
Special provisions (RID)	:	274, 601
Limited quantities (RID)	:	5L
Excepted quantities (RID)	:	E1
Packing instructions (RID)	:	P001, IBC03, LP01, R001
Transport category (RID)	:	3
Hazard identification number (RID)	:	30

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

## PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### VOC Directive (2004/42)

VOC content

: < 35 %

# Detergent Regulation (648/2004)

Detergent Regulation (648/2004/EC): Labelling of contents:	
Component	
5 % - < 15 % non-ionic surfactants Ingredients subject to the labelling obligation according to SCCP: -	

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00056-0355

Seveso Directive (Disaster Risk Reduction)					
Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)				
	Lower-tier	Upper-tier			
P5c FLAMMABLE LIQUIDS Flammable liquids, Categories 2 or 3 not covered by P5a and P5b	5000	50000			

### 15.1.2. National regulations

No additional information available

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

#### Indication of changes:

All chapters have been modified since the previous version.

Abbreviations and acronyms:			
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ΙΑΤΑ	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
DOT	Department of Transport		
TDG	Transportation of Dangerous Goods		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals		
IARC	International Agency for Research on Cancer		
vPvB	Very Persistent and Very Bioaccumulative		
РВТ	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
CAS	CAS (Chemical Abstracts Service) number		
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk		
ATE	Acute Toxicity Estimate		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
BCF	Bioconcentration factor		
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships		
ADG	Transport of Australian Dangerous Goods		

#### Other information

: Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 SDS No: 00056-0355

Full text of H- and EUH-statements:			
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
H225	Highly flammable liquid and vapour.		
H226	Flammable liquid and vapour.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H336	May cause drowsiness or dizziness.		
H412	Harmful to aquatic life with long lasting effects.		
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:				
Flam. Liq. 3	H226	On basis of test data		
Eye Dam. 1	H318	Calculation method		

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.