

SURFACE CLEANING & DISINFECTION ALDEHYDE-FREE CONCENTRATES

Hexaguart[®] pure... for all areas, effective within 5 minutes

PROPERTIES

- For all areas in hospitals, medical practices and medical bathes
- Applicable in foot spray systems (bath areas)
- Usable for cleaning and disinfection of protective masks and disinfection of shoes and socks
- Also suitable in food sector (e.g. hospital or restaurant kitchen)
- Effective against: Bacteria, yeasts, Enveloped viruses (incl. HBV, HCV, HIV) and Polyomavirus
- Aldehyde-free
- Perfume-free
- Dermatologically tested
- Compatible with B. Braun Wipes dispenser system
- Listing: VAH¹⁾, IHO²⁾

APPLICATION INSTRUCTIONS

Disinfectant concentrate for use on medical devices, for the prevention of hospital cross-infections in all hospital areas and medical practices.

COMPATIBILITY

Applicable on: Hexaquart® pure can be used as impregnating liquid with the B. Braun Wipes Dispenser System. The solution can remain in the dispenser system for up to 4 weeks. The minimum product concentration is 1.0%.

NOTE

The preparation of working solutions with demineralized water can lead to turbidity of the diluted solution. This does not affect the efficacy of the working solution.

| PRODUCT SIZE | REF |
|----------------|-------------------------|
| 1000 ml bottle | 19942 WEST, 180028 CENT |
| 5 l canister | 19943 WEST, 180029 CENT |

Physico-chemical data

Concentrate

colorless - yellowish liquid Appearance

Rel. density (20 °C) ca. 1 g / ml

Hexaquart® pure - composition:

10 g Didecyldimethyl-ammonium chloride, 10 g C12-16-Alkylbenzyldimethyl-ammonium chloride Excipients: < 5 % nonionic surfactants, complexing agent, solvent

1) VAH = Association for Applied Hygiene 2) IHO = German Association of Hygiene and Surface Protection Industries

CUSTOMER INFORMATION

The following information must be available in advertising, product information, publications, internet sites: Carefully use biocidal products. Always read the label and product information before use. Use diluted at ambient temperature (min 20 °C) under clean and dirty conditions.

CONCENTRATIONS AND EXPOSURE TIMES

| Efficacy | 1 min | 5 min | 15 min | 30 min | 60 min |
|---|-------|------------------------------------|----------------|--------|--------|
| Bactericidal, yeasticidal with mechanical action (EN 13727, EN 13624, EN 16615) | | 1.0% | 0.5% | | |
| Bactericidal, yeasticidal without mechanical action (EN 13697) | | | 0.5% | | |
| Virucidal activity against enveloped viruses (EN 14476) | | 1.0% | | 0.5% | |
| Polyomavirus (EN 14476) | | Clean: 2.0 % Dirty: 3.0 % | Dirty: 2.0% | | |
| Norovirus (MNV, EN 16777) | | | | | 2.0% |
| Disinfection of shoes and socks (EN 13697, T. mentagrophytes*) | | | 3.0% | | |
| Treatment of surfaces in medical bathes and swimming pools (EN 16615) | | 2.0% | 0.5% | | |
| Fungicidal against T. mentagrophytes* with mechanical action (EN 16615) | 2.0% | 1.0 % | | | |
| Hygienic wash (EN1499) | 1.0% | | | | |

Expert reports are available on request

*Trichophyton interdigitale (new name)

