

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 7/5/2012 Revision date: 3/15/2023 Supersedes: 4/29/2021 Version: 2.2
SDS No: 00056-0013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Helipur
UFI : XKRU-87MC-000P-DRMM
Other means of identification :

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Use of the substance/mixture : Disinfectant
Manual disinfection and cleaning of medical instruments, laboratory equipment, surfaces and excrements

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer

B. Braun Medical AG
Seesatz 17
CH-6204 Sempach
Switzerland
T +41 (0) 58 / 258 50 00
info.bbmch@bbraun.com
E-mail address of competent person responsible for the SDS: sds@gbk-ingelheim.de

Distributor

B. Braun Melsungen AG
Carl-Braun-Straße 1
D-34212 Melsungen
Germany
T +49(0) 5661 / 71-4422
logistics.service@bbraun.com

1.4. Emergency telephone number

Emergency number : INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Corrosive to metals, Category 1	H290
Skin corrosion/irritation, Category 1, Sub-Category 1C	H314
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Carcinogenicity, Category 2	H351
Reproductive toxicity, Category 2	H361fd
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. May be corrosive to metals. Causes severe skin burns and eye damage. Suspected of causing cancer. Suspected of damaging fertility or the unborn child. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Contains

: Paraffin oils, sulfochlorinated, saponified; 2-Benzyl-4-chlorophenol; Sodium hydroxide

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.
H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.
H317 - May cause an allergic skin reaction.
H351 - Suspected of causing cancer.
H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child.
H410 - Very toxic to aquatic life with long lasting effects.
P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 - Do not breathe vapours.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER, a doctor.
P273 - Avoid release to the environment.
P501 - Dispose of contents and container to an approved waste disposal plant.

Child-resistant fastening

: Applicable

Tactile warning

: Applicable

Labelling according to: exemption for packages of a capacity of 125ml or less

Hazard pictograms (CLP)



GHS02

GHS05

GHS07

GHS08

GHS09

Signal word (CLP)

: Danger

Hazardous ingredients

: Paraffin oils, sulfochlorinated, saponified; 2-Benzyl-4-chlorophenol; Sodium hydroxide

Hazard statements (CLP)

: H314 - Causes severe skin burns and eye damage.
H317 - May cause an allergic skin reaction.
H351 - Suspected of causing cancer.
H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child.

Precautionary statements (CLP)

: P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P260 - Do not breathe vapours.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER, a doctor.
P501 - Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical characterization : Alkaline concentrate with sodium salts of phenolic derivatives

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Paraffin oils, sulfochlorinated, saponified	CAS-No.: 68188-18-1 EC-No.: 269-144-1 REACH-no: 01-2119517577-32	15 - 30	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Repr. 2, H361d Aquatic Chronic 3, H412
Propan-2-ol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558-25	< 15	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
	CAS-No.: 59-50-7 EC-No.: 200-431-6 EC Index-No.: 604-014-00-3 REACH-no: 01-2119938953-25	8,5	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 STOT SE 3, H335 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
2-Benzyl-4-chlorophenol	CAS-No.: 120-32-1 EC-No.: 204-385-8 EC Index-No.: 604-093-00-4 REACH-no: 01-2120769902-44	4,8	Carc. 2, H351 Repr. 2, H361f Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 (M=100)
biphenyl-2-ol	CAS-No.: 90-43-7 EC-No.: 201-993-5 EC Index-No.: 604-020-00-6 REACH-no: 01-2119511183-53	4	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Alcohols, C12-14, ethoxylated, sulfated, sodium salts	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639-16	< 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium hydroxide	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	< 1	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Alcohols, C12-14, ethoxylated, sulfated, sodium salts	CAS-No.: 68891-38-3 EC-No.: 500-234-8 REACH-no: 01-2119488639-16	(5 ≤C < 10) Eye Irrit. 2, H319 (10 ≤C < 100) Eye Dam. 1, H318
Sodium hydroxide	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892-27	(0.5 ≤C < 2) Eye Irrit. 2, H319 (0.5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C < 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Data of item 4 do partly not refer to the use and the regular employing of the product (in this sense consult package leaflet and expert information), but to liberation of major amounts in case of accidents and irregularities. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Gently wash with plenty of soap and water. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Do NOT induce vomiting. Call a doctor. Attention in case of vomiting - acute danger of suffocating, produced by foaming ingredients. Rinse mouth. Drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Burns. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.
Chronic symptoms	: Suspected of causing cancer. Suspected of damaging the unborn child. Suspected of damaging fertility.

4.3. Indication of any immediate medical attention and special treatment needed

Attention. Phenols in high amounts cause local anesthetic effects so that pain due to burns may be delayed. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Alcohol resistant foam. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: high volume water jet.

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: Product is not explosive. Explosive vapour/air mixtures may be formed.
Hazardous decomposition products in case of fire	: Carbon monoxide. Carbon dioxide. Sulphur dioxide. Nitrous gasses. Hydrogen chloride gas. Chlorine compounds. Phosphorus oxides.

5.3. Advice for firefighters

Precautionary measures fire	: Cool endangered containers with water spray jet.
Firefighting instructions	: Fight fire from safe distance and protected location.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Vapours are heavier than air and may spread along floors. The vapour/air mixture is explosive, even in empty, uncleaned receptacles. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Remove ignition sources.
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. In case of vapour formation use adequate respirator. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Do not breathe vapours.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Do not discharge into drains or the environment. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Dike and contain spill.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Refer to protective measures listed in sections 7 and 8. Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Do not breathe vapours.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Keep container tightly closed in a dry, cool and well-ventilated place. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
Incompatible materials	: Acids.
Information on mixed storage	: Keep away from food, drink and animal feeding stuffs.
Packaging materials	: Do not use metal containers.

7.3. Specific end use(s)

See Section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

Monitoring methods	
Monitoring methods	A specific exposure sampling method is not available.
Biological monitoring methods	A specific exposure sampling method is not available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Paraffin oils, sulfochlorinated, saponified (68188-18-1)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	17 mg/kg bodyweight/day
Long-term - local effects, inhalation	10 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, dermal	10 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.02 mg/l
PNEC aqua (marine water)	0.002 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.17 mg/kg
PNEC sediment (marine water)	0.017 mg/kg
PNEC (Soil)	
PNEC soil	0.02 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	8.1 mg/l
Propan-2-ol (67-63-0)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	888 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	500 mg/m ³

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

Propan-2-ol (67-63-0)	
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	26 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	88 mg/m ³
Long-term - systemic effects, dermal	319 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	140.9 mg/l
PNEC aqua (marine water)	140.9 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	552 mg/kg dwt
PNEC sediment (marine water)	552 mg/kg dwt
PNEC (Soil)	
PNEC soil	28 mg/kg dwt
Alcohols, C12-14, ethoxylated, sulfated, sodium salts (68891-38-3)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	2750 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	175 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	15 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	52 mg/m ³
Long-term - systemic effects, dermal	1650 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0.24 mg/l
PNEC aqua (marine water)	0.024 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0.9168 mg/kg
PNEC sediment (marine water)	0.09168 mg/kg KW
PNEC (Soil)	
PNEC soil	7.5 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	10000 mg/l

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

8.2.2. Personal protection equipment

Personal protective equipment:

Data of item 8 do partly not refer to the use and the regular employing of the product (in this sense consult package leaflet and expert information), but to liberation of major amounts in case of accidents and irregularities.

8.2.2.1. Eye and face protection

Eye protection:

Eyewash bottle with clean water (EN 15154)

Eye protection			
Type	Field of application	Characteristics	Standard
Safety glasses with side shields	Liquid splashes may occur		EN 166

8.2.2.2. Skin protection

Skin and body protection	
Type	Standard
Long sleeved protective clothing	EN ISO 6530

Hand protection:

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
protective gloves	Polychloropren	4 (> 120 minutes)	0,5		EN ISO 374
protective gloves	Butyl rubber	6 (> 480 minutes)	0,5		EN ISO 374
protective gloves	Nitrile rubber	6 (> 480 minutes)	0,35		EN ISO 374
protective gloves	Fluoro-rubber (Viton) - FKM	6 (> 480 minutes)	0,4		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Respiratory protection			
Device	Filter type	Condition	Standard
Respiratory protective device with a gas filter	Type A - High-boiling (>65 °C) organic compounds		EN 14387

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

Colour	: Red brown.
Odour	: alcoholic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: ≈ 82 °C
Flammability (solid, gas)	: Flammable liquid and vapour.
Explosive properties	: Product is not explosive. Flammable or explosive vapour/air mixtures may be formed.
Oxidising properties	: Not oxidising.
Explosive limits	: Not available
Lower explosive limit (LEL)	: 2 vol %
Upper explosive limit (UEL)	: Not available
Flash point	: 32 °C DIN 51755
Auto-ignition temperature	: 425 °C
Decomposition temperature	: Not available
pH	: 10.9 – 11.5 Concentrate
Viscosity, kinematic	: Not available
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 1.08 – 1.1 g/cm ³
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content	: < 15 %
Additional information	: Solvent content : < 15 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts with: Acids. May be corrosive to metals.

10.4. Conditions to avoid

Vapour/air-mixtures are explosive at intense warming. Heating can release vapours which can be ignited. Gives off hydrogen by reaction with metals. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Sulphur dioxide. Nitrous fumes. Hydrogen chloride gas. Chlorine compounds. Phosphorus oxides.

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Paraffin oils, sulfochlorinated, saponified (68188-18-1)	
LD50 oral rat	1271 mg/kg (OECD 401 method)
LD50 dermal rat	> 5000 mg/kg (OECD 402 method)

Propan-2-ol (67-63-0)	
LD50 oral rat	5840 mg/kg
LD50 dermal rabbit	13900 mg/kg
LC50 Inhalation - Rat	> 25 mg/l 4 h

(59-50-7)	
LD50 oral rat	1830 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 2.871 mg/l 4 h, (OECD 403 method)

2-Benzyl-4-chlorophenol (120-32-1)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 2500 mg/kg bodyweight
ATE CLP (vapours)	11 mg/l/4h
ATE CLP (dust,mist)	1.5 mg/l/4h

Alcohols, C12-14, ethoxylated, sulfated, sodium salts (68891-38-3)	
LD50 oral rat	> 2000 mg/kg (OECD 401 method)

Sodium hydroxide (1310-73-2)	
LD50 oral rat	> 2000 mg/kg

Skin corrosion/irritation : Causes severe skin burns.
pH: 10.9 – 11.5 Concentrate

Serious eye damage/irritation : Causes serious eye damage.
pH: 10.9 – 11.5 Concentrate

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Suspected of causing cancer.

Reproductive toxicity : Suspected of damaging fertility. Suspected of damaging the unborn child.

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

Propan-2-ol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.

(59-50-7)	
STOT-single exposure	May cause respiratory irritation.

biphenyl-2-ol (90-43-7)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

2-Benzyl-4-chlorophenol (120-32-1)

STOT-repeated exposure	May cause damage to organs (kidneys) through prolonged or repeated exposure.
------------------------	--

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

Potential adverse human health effects and symptoms : Watch out. Beware, hazard of foam aspiration, At high concentrations, the vapours may cause narcosis, Dangerous amounts can be absorbed through the skin

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.

Paraffin oils, sulfochlorinated, saponified (68188-18-1)

LC50 fish 1	4.16 mg/l 96 h, Danio rerio
EC50 Daphnia 1	4.72 mg/l 48 h, Daphnia magna (Water flea)
EC50 72h - Algae [1]	246.89 mg/l 72 h, Scenedesmus subspicatus
NOEC chronic crustacea	1 mg/l 22 d, Daphnia magna (Water flea)

Propan-2-ol (67-63-0)

LC50 fish 1	9640 mg/l Pimephales promelas, 96 h
EC50 Daphnia 1	10000 mg/l Daphnia magna, 48 h
EC50 72h - Algae [1]	1800 mg/l Desmodesmus subspicatus, 72 h

(59-50-7)

LC50 fish 1	0.92 mg/l 96 h, Oncorhynchus mykiss (Rainbow trout)
EC50 Daphnia 1	3.2 mg/l 48 h, Daphnia magna (Water flea)
ErC50 algae	30.62 mg/l Scenedesmus subspicatus

2-Benzyl-4-chlorophenol (120-32-1)

LC50 fish 1	1.5 mg/l 96 h, Danio rerio
EC50 Daphnia 1	0.59 mg/l 48 h, Daphnia magna (Water flea)
ErC50 algae	0.2 mg/l 72 h, Pseudokirchneriella subcapitata
NOEC chronic algae	0.1 mg/l 3 d, Pseudokirchneriella subcapitata

Alcohols, C12-14, ethoxylated, sulfated, sodium salts (68891-38-3)

LC50 fish 1	> 10 – 100 mg/l DIN EN ISO 7346-2
-------------	-----------------------------------

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

Sodium hydroxide (1310-73-2)	
LC50 fish 1	189 mg/l 96 h, Leuciscus idus (golden orfe)

12.2. Persistence and degradability

Helipur	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Paraffin oils, sulfochlorinated, saponified (68188-18-1)	
Persistence and degradability	Readily biodegradable.
Biodegradation	82 % 28 d, (OECD 301E method)

Propan-2-ol (67-63-0)	
Persistence and degradability	Readily biodegradable.
Biodegradation	95 % 21 d, (OECD 301E method)

(59-50-7)	
Persistence and degradability	Readily biodegradable.
Biodegradation	> 90 % 28 d, (OECD 301C method)

12.3. Bioaccumulative potential

Propan-2-ol (67-63-0)	
Log Pow	0.05

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Helipur	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

12.7. Other adverse effects

Additional information : Ecological injuries are not known or expected under normal use. Prevent entry to sewers and public waters

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Recycling is preferred to disposal or incineration. Can be incinerated according to local regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions. The waste code/waste name refers to the end product. To be defined by the customer in agreement with appropriate waste disposal company.
Product/Packaging disposal recommendations	: Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of like the product.
Additional information	: Flammable vapours may accumulate in the container.
European List of Waste (LoW) code	: 07 06 04* - other organic solvents, washing liquids and mother liquors

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 2924	UN 2924	UN 2924	UN 2924	UN 2924
14.2. UN proper shipping name				
FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Propan-2-ol ; Sodium hydroxide)	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Propan-2-ol ; Sodium hydroxide)	Flammable liquid, corrosive, n.o.s. (Propan-2-ol ; Sodium hydroxide)	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Propan-2-ol ; Sodium hydroxide)	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Propan-2-ol ; Sodium hydroxide)
Transport document description				
UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Propan-2-ol ; Sodium hydroxide), 3 (8), III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Propan-2-ol ; Sodium hydroxide), 3 (8), III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 2924 Flammable liquid, corrosive, n.o.s. (Propan-2-ol ; Sodium hydroxide), 3 (8), III, ENVIRONMENTALLY HAZARDOUS	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Propan-2-ol ; Sodium hydroxide), 3 (8), III, ENVIRONMENTALLY HAZARDOUS	UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Propan-2-ol ; Sodium hydroxide), 3 (8), III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)				
3 (8)	3 (8)	3 (8)	3 (8)	3 (8)
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: FC
Special provisions (ADR)	: 274
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, R001
Mixed packing provisions (ADR)	: MP19
Transport category (ADR)	: 3
Hazard identification number (Kemler No.)	: 38
Orange plates	:



Tunnel restriction code (ADR)	: D/E
-------------------------------	-------

Transport by sea

Special provisions (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-C
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW2

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y342
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 354
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 365
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 3C

Inland waterway transport

Classification code (ADN)	: FC
Special provisions (ADN)	: 274
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: FC
Special provisions (RID)	: 274
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, R001
Transport category (RID)	: 3
Hazard identification number (RID)	: 38

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content : < 15 %

Detergent Regulation (648/2004)

Allergenic fragrances > 0.01 %:

D-LIMONENE

Detergent Regulation (648/2004/EC): Labelling of contents:

Component

≥ 30 % anionic surfactants

< 5 % phosphonates

< 5% Parfum

Ingredients subject to the labelling obligation according to SCCP: Benzyl salicylate, Coumarin, eugenol, Linalool

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Seveso Directive (Disaster Risk Reduction)

Seveso Additional information

: FLAMMABLE LIQUIDS

Flammable liquids, Categories 2 or 3 not covered by P5a and P5b

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
P5c FLAMMABLE LIQUIDS Flammable liquids, Categories 2 or 3 not covered by P5a and P5b	5000	50000
E1 Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1	100	200

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

All chapters have been modified since the previous version.

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
BCF	Bioconcentration factor
ATE	Acute Toxicity Estimate
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
DOT	Department of Transport
TDG	Transportation of Dangerous Goods
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
IARC	International Agency for Research on Cancer
vPvB	Very Persistent and Very Bioaccumulative
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships
ADG	Transport of Australian Dangerous Goods
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

Abbreviations and acronyms:	
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
ED	Endocrine disrupting properties

Other information : Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.

Helipur

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
SDS No: 00056-0013

Full text of H- and EUH-statements:	
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H361f	Suspected of damaging fertility.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Flam. Liq. 3	H226	On basis of test data
Met. Corr. 1	H290	
Skin Corr. 1C	H314	Calculation method
Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Carc. 2	H351	Calculation method
Repr. 2	H361fd	Calculation method
Aquatic Chronic 1	H410	Calculation method

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.